



AIRVECTOR

HVAC Manufacturer of Panel Access
Manufacturier de panneau d'accès

Creative | Flexible | Ready | Competitive

Acoustical Access Panels

| Catalog



www.airvector-panels.com

Our products

Solutions to your needs

Return Air Acoustical Access Panels



PPS
**Peripheral
Side Swing**

Sleek modern design
with sturdy construction.



PPI
Invertible Door

Hot Feature: Door
swings either left or
right thanks to
"lift-off" hinge.



PPU
**Peripheral
Up Swing**

Hot Feature: Door lifts
off for easy access in
restricted space.



PLU
**Louvered
Up Swing**


Louvered door
swings upwards
and is removable.



PAU
**Fixed Grille
Up Swing**

Integrated filter
brackets, door swings
up and is removable.

Possible Options



-MI
Mud-In Frame

Concealed flange for
a state-of-the-art look.




-NF
No Frame

Adapts to many
unit models.




-R
Removable Core

Hot Feature: Save 4"
on width & height.



-N
Narrow Frame

Modern narrow
flange for a sleek look.



-AS
Fresh Air

Air intake for fresh
air renewal.

Closing Options



-MC# Mechanical Catch



-M# Magnet Catch



-GH# Gripping Handle



-K# Keylock

Screw Options



-TP# Tamper-Proof



-Q# Phillips Screw Quarter Turn Latch



-H# Hex Quarter Turn Latch



-S# Slotted Quarter Turn Latch



-SS# Slotted Screw

Grilles



GSA27

Supply Grille

Double deflection with damper.



ALB

Bar Grille

Architectural Linear.



ALB80

Deflected Bar Grille

Architectural linear with deflection.

Finishes



Finishes

See all our finishes

www.airvector-panels.com/finishes

Working on a project?


We're happy to cater to your needs immediately with one quick fill-in form.
Just Ask!



PTAC

Grilles & Casings

Color match our casing & discharge grilles with your building's facade for a more aesthetic look on your PTAC projects.



PENC

Aftermarket Projects

Our engineering team is ready to assist you in all custom or aftermarket needs.



Creative | Flexible | Ready | Competitive

Acoustical Access Panels

| Catalog



www.airvector-panels.com

Table of Contents

Catalog	10
Price List	12
Options Pricing Table	14
How to Order Access Panels	15
Submittal Drawing	17
PPS - Peripheral Side Swing	18
PPI - Invertible Door	19
PPU - Peripheral Up Swing	20
PLU - Louvered Up Swing	21
Finish Chart	23
RAL K7 - Classic Colour Chart	25

PPS

Hinged Side Swing



Features

- Peripheral return air.
- Side swing non-removable.
- Reversible for left or right swing.
- Various quarter-turn latches available.
- Gasketing available.
- 22 gauge galvanized steel default.
- Powder paint coating - white by default, RAL colors available.

PPI

Up Swing Removable Door



Features

- Ideal with thermostat slot.
- Peripheral return air.
- Reversible for left or right swing thanks to "lift-off" hinge.
- Various quarter-turn latches available.
- Gasketing available.
- 22 gauge galvanized steel default.
- Powder paint coating - white by default, RAL colors available.



Possible Option

Removable Core

Features

- Ideal for tight spaces on width and height.
- Save 4" on the width and on the height.
- Ideal with -N option (narrow frame) for saving an extra inch!
- Ideal with -MI option for easy future door replacements.
- Replace door without re-plastering frame.
- Available with all peripheral return air panels.

PPU

Invertible Door Swing



PPU

Features

- Ideal for tight space in front of panel.
- Peripheral return air.
- Up swing "lift-off" door.
- Various quarter-turn latches available.
- Gasketing available.
- 22 gauge galvanized steel default.
- Powder paint coating - white by default, RAL colors available.

PLU


Up Swing Door



PLU

Features

- Louvered return air.
 - Up swing removable door.
 - Various quarter-turn latches available.
 - Gasketing available.
 - Sound attenuating baffle available.
 - 22 gauge galvanized steel default.
 - Powder paint coating - white by default, RAL colors available.
- Important!** Needs clearance to swing-up.
Not ideal in corridors or in tight spaces.



-MI

Possible Option

Mud-In Frame

Features

- Easy installation requiring no extra corner bead channels.
- Just install and mud over frame.
- Ideal with -R option for easy future door replacements.
- Replace door without replastering frame.
- Available with all peripheral or louvered return air panels.

Price List

Length (inches)

		16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
Width (inches)	12	70	71	72	72	73	74	75	76	76	77	78	79	79	80	81	82	83	83	84	85	86	86
	13	71	72	73	74	74	75	76	77	78	78	79	80	81	82	83	83	84	85	86	87	87	87
	14	72	73	74	75	75	76	77	78	79	80	81	82	82	83	84	85	86	87	88	88	89	89
	15	73	74	75	76	77	77	78	79	80	81	82	83	84	85	86	87	87	88	89	90	91	91
	16	74	75	76	77	78	79	80	81	82	82	83	84	85	86	87	88	89	90	91	92	99	99
	17	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	99	100	101	101
	18	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	98	99	100	102	103	103
	19	77	78	79	80	81	82	83	84	85	86	88	89	90	91	92	99	100	101	102	103	104	104
	20	78	79	80	81	82	83	84	86	87	88	89	90	91	98	99	101	102	103	104	105	112	112
	21	79	80	81	82	83	85	86	87	88	89	90	92	99	100	101	102	103	105	106	113	114	114
	22	80	81	82	84	85	86	87	88	90	91	92	99	101	102	103	104	105	113	114	115	116	116
	23	81	82	83	85	86	87	88	90	91	92	99	101	102	103	105	106	113	114	116	117	118	118
	24	81	82	83	85	86	87	89	90	97	99	100	101	102	104	111	113	114	115	117	118	127	129
	25	82	83	85	86	87	89	90	91	99	100	101	103	104	111	113	114	116	117	118	128	129	131
	26	83	84	86	87	88	90	91	98	100	101	103	104	111	113	114	116	117	119	128	130	131	132
	27	84	85	87	88	89	91	98	100	101	103	104	111	113	114	116	118	127	129	130	131	133	134
	28	85	86	88	89	91	98	100	101	102	104	111	113	114	116	117	127	129	130	132	133	147	148
	29	86	87	89	90	98	99	101	102	104	111	113	114	116	117	127	129	130	132	133	147	148	150
	30	87	88	90	91	99	100	102	104	111	113	114	116	117	127	128	130	132	134	147	149	150	152
	31	88	89	91	98	100	102	103	105	112	114	116	117	127	128	130	132	134	147	149	150	152	154
	32	88	90	98	99	101	103	104	112	114	115	117	127	128	130	132	134	147	149	151	152	154	156
	33	89	91	99	101	102	104	112	113	115	117	118	128	130	131	133	147	149	151	152	154	156	161
	34	91	98	100	102	104	105	113	115	117	118	128	130	132	133	147	149	151	153	154	156	161	163
	35	92	99	101	103	105	113	114	116	118	128	129	131	133	147	149	151	153	154	156	161	163	165
36	99	100	102	104	112	114	116	117	127	129	131	133	146	148	150	152	154	156	161	163	165	167	
37	100	101	103	105	113	115	117	119	129	130	132	134	148	150	152	154	156	161	163	165	167	168	
38	101	102	104	112	114	116	118	128	130	132	134	148	149	151	153	156	161	163	165	167	168	170	
39	102	103	105	113	115	117	119	129	131	133	147	149	151	153	155	161	162	164	166	168	170	180	
40	102	104	112	114	116	118	128	130	132	134	148	150	152	154	156	162	164	166	168	170	180	182	
41	103	105	114	116	118	120	130	132	134	148	150	152	154	156	161	164	166	168	170	172	182	184	
42	104	106	115	117	119	129	131	133	147	149	151	153	155	161	163	165	167	169	172	182	184	186	

Price List

		Length (inches)																					
		16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
Width (inches)	43	105	113	116	118	120	130	132	134	148	150	153	155	160	162	164	167	169	171	181	183	186	188
	44	106	114	117	119	129	131	133	147	150	152	154	156	162	164	166	169	171	181	183	185	187	190
	45	113	115	118	120	130	132	134	149	151	153	155	161	163	165	167	170	180	183	185	187	189	191
	46	115	117	119	129	132	134	148	150	153	155	157	163	165	167	169	172	182	185	187	189	191	194
	47	116	118	120	130	133	135	149	152	154	156	162	164	166	169	171	182	184	186	189	191	193	207
	48	116	119	129	131	134	148	150	153	155	158	163	165	168	170	192	183	186	188	190	193	207	209
	49	117	120	130	133	135	149	152	154	156	162	164	167	169	172	194	185	187	190	192	194	209	211
	50	118	121	131	134	136	150	153	155	158	163	166	168	171	193	196	187	189	191	194	208	211	213
	51	119	130	132	135	149	152	154	157	162	165	167	170	172	195	197	188	191	193	208	210	212	215
	52	120	131	133	136	150	153	155	158	164	166	169	171	194	196	199	190	192	195	209	212	214	217
	53	121	132	134	137	151	154	157	162	165	167	170	173	195	198	200	191	194	208	211	214	216	219
	54	130	133	135	150	153	155	158	164	166	169	171	194	197	199	202	193	208	210	213	215	218	221
	55	131	134	136	151	154	156	162	165	168	170	173	195	198	201	203	195	209	212	214	217	220	222
	56	132	135	149	152	155	158	163	166	169	172	194	197	200	202	205	208	211	213	216	219	222	224
	57	133	136	150	153	156	159	165	167	170	173	196	198	201	204	206	210	212	215	218	221	223	226
	58	134	137	152	155	157	163	166	169	172	195	197	200	203	206	208	212	214	217	220	223	226	228
	59	135	138	153	156	159	165	167	170	173	196	199	202	204	207	210	213	216	219	222	225	227	230
	60	136	151	154	157	160	166	169	172	194	197	200	203	206	209	212	215	218	221	223	226	229	232
	61	138	153	156	158	165	167	170	173	184	187	190	193	196	211	214	216	219	222	225	228	231	234
	62	139	154	157	159	166	169	172	175	185	188	191	194	209	212	215	218	221	224	227	230	233	236
	63	152	155	158	161	167	170	173	184	187	190	193	196	211	214	217	220	223	226	229	232	235	238
	64	153	156	159	165	168	171	174	185	188	191	194	209	212	215	218	221	224	227	230	233	236	239
	65	154	157	160	166	169	172	175	186	189	192	196	211	214	217	220	223	226	229	232	235	238	241
	66	154	158	161	167	170	173	184	188	191	194	197	212	215	218	221	225	228	231	234	237	240	243
	67	155	159	165	168	171	174	186	189	192	195	210	213	217	220	223	226	229	232	236	239	242	245
	68	156	160	166	169	172	176	187	190	193	196	212	215	218	221	225	228	231	234	237	241	244	247
	69	157	161	167	170	174	185	188	191	195	198	213	216	220	223	226	229	233	236	239	242	246	249
	70	159	162	168	172	175	186	190	193	196	212	215	218	221	225	228	231	235	238	241	244	248	251
	71	160	166	170	173	176	188	191	194	198	213	216	220	223	226	230	233	236	240	243	246	250	253
	72	161	167	171	174	185	189	192	195	211	214	218	221	224	228	231	234	238	241	245	248	251	255
	73	161	168	172	175	186	190	193	197	212	216	219	222	226	229	233	236	240	243	246	250	253	257

Options Pricing Table

Option	Description	List Adder					
		1	2	3	4	5	6
-18	Material thickness - frame and door 18AWG	0.37%					
-20	Material thickness - frame and door 20AWG	0.18%					
-22	Material thickness - frame and door 22AWG	0.06%					
-24	Material thickness - frame and door 24AWG	-0.035%					
-H#	Hex Quarter Turn Latch (1x), (2x)	12	20				
-S#	Slotted Quarter Turn Latch (1x), (2x), (4x)	12	20		30		
-K#	Key-lock (1x), (2x)	12	20				
-CL#	Conceded Quarter Turn Latch (2x)		9				
-SL#	Spring Latch (2x)		6				
-Q#	Philips Quarter Turn Latch (1x), (2x), (4x)	12	20		30		
-M#	Magnet catch (2x), (3x), (4x), (6x)		12	15	18		24
-TP#	Temper-Proof Snakeeys Screw (x2)		9				
-SS#	Screws Slotted (2x), (3x), (5x)		6	9		15	
-MC#	Mechanical catch (2x), (3x), (4x), (6x)		4	6	8		12
-ML#	Mechanical Touch Latch (2x)		12				
-TL#	Touch Latch (x2), (x3), (x4)		16	24	32		

Note: add up all percentage adders first, then apply to List Price.

P L U (A) -FL-TP#-M#-X-18-B -L0.5 -D0.25 18.25 36.25 /C

Model series

Side Wall Panel **P**

RA opening

Stamped Louvered **L**
Grille Louvered **A**
Perimeter **P**
Zero RA Opening (access only) **O**
Slotted **S**

Door (Hinge)

Up Swing (removable) **U**
Down Swing (removable) **D**
Side Swing (non-removable) **S**
Side Swing (invertible) **I**
Side Swing (loose for removal) **L**
Non-Hinged (removable) **O**
Fixed in Place **F**
Rivet Hinges **H**

Frame

Optional information

Profile Air Way 1.1" (default) **A**
Profile Air Way 1.6" **B**
Profile Air Way 2.1" **C**

Frame options

Mud-in Flange (12%) **-MI**
Narrow Flange 0.75 (default is 1.25) (3%) **-N**
No Frame (-35%) **-NF**
Flangeless (12%) **-FL**
Narrow Mud-in (12%) **-FL2**
Removable Core (15%) **-R**
Increased Access (15%) **-IA**
Aluminum Frame (15%) **-AL**
Mounting Style (default 4 holes on sides) (\$6) **-MS#**
Mounting Style Gyproc (\$10) **-MG#**

Securing options & quantity

Tamper-Proof Snakeeye Screw (OPT) **TP#**
Screws Slotted (OPT) **-SS#**
Hex Quarter Turn Latch (OPT) **-H#**
Slotted Quarter Turn Latch (OPT) **-S#**
Key-Lock (OPT) **-K#**
Concealed Latch (OPT) **-CL#**
Spring Latch (OPT) **-SL#**
Safety Chain (\$2) **-SC#**
Snap Down Arm (\$1) **-SA#**

(Where # is quantity)

Closing options & quantity

Magnet Catch (Default) (OPT) **-M#**
Mechanical Catch (OPT) **-MC#**
Magnetic Touch Latch (OPT) **-ML#**
Touch Latch (OPT) **-TL#**

(Where # is quantity)

Finishes

/C (See finish chart) Custom

Opening height

36.25 36.00 Collar (example)

Opening width

18.25 18.25 Collar (example)

Panel depth

From door surface to unit.

Default (no need to specify, 2)

-D 0.5 0.5
-D 0.75 0.75
-D 1 1
...
-D 3.75 3.75
-D 4 4

1/4" increments upto 4"

Lip height

Default (no need to specify, 0.25)

-L 0.25 0.25
-L 0.5 0.5
-L 0.625 0.625

1/8" increments"

Other options

-B (6%) Removable Baffle
-C (12%) Control Panels
-GK (\$6) Flange Gasket
-GN (\$6) Neck Gasket
-GR (\$6) Rear Gasket
-GD (\$6) Door-to-Frame Gasket
-AS (55%) Fresh Air Intake Slots
-LT (100%) Light (LED) Panel
-FT (\$10) Filter Holder
-BK (18%) Blocked Air
-GL (\$6) Grille

Material AWG

Default (no need to specify, frame 22, door 24 ga)

-18 (37%) 18 Gauge Frame and Door
-20 (18%) 20 Gauge Frame and Door
-22 (6%) 22 Gauge Frame and Door
-24 (-35%) 24 Gauge Frame and Door

Door options

N/A Insulated
-X (5%) Non-insulated
-T# (\$6) Thermostat Mountable ADA
-RH (\$6) Reinforced Hinge
-2D (5%) Two Doors
-3D (5%) Three Doors
-ND (-35%) No Door
-RS Right Swing
-GH (\$6) Gripping Handle

For (OPT), please see option pricing table on previous page.



Creative | Flexible | Ready | Competitive

Acoustical Access Panels

Submittal Drawings



www.airvector-panels.com

Model PPS

Peripheral Return Air Access Panel - Side Swing Door For vertical stack heat pumps, fan coils & air handlers Reversible for right or left swing


Powder paint tough coating provides a finished appearance in living areas with a sleek-looking peripheral return air opening between the door and the walled-in frame.

Acoustical lining on the access door absorbs internal noise and attenuate its transmission to the living area. Door provides access for filter change and for retrieval of the unit's chassis for maintenance. PPU available for tighter access in front of panel. Removable core is offered for tighter available width and height, see model PPS-R, in our offering.


Three standard frame profiles provide three choices of width for the peripheral return air opening namely PPSA (1.1" wide) PPSB (1.6" wide) PPSC (2.1" wide) allowing the designer to adjust the free area to the capacity of the unit. (see standard frame profiles below)

Features


- Reversible for left or right swing (except with thermostat slots)
- Sturdy welded construction
- Made of galvanized steel 22 ga. default, other gauges (optional)
- Scratch-resistant powder paint, white is standard, other colors (optional)
- Heavy duty vertical hinges
- Magnetic catches (default)
- Key lock and various quarter-turn latches (optional)
- 5/8" acoustical fiberglass insulation



Standard latches



Standard frame profiles



Profile "X"

- | | |
|---|--------------------------------|
| A | 1.10" (Standard CFM) (default) |
| B | 1.60" (Higher CFM) |
| C | 2.10" (Highest CFM) |

Simple to order PPS:

Standard units with or without options require no drawings for production, just specify PPSA, PPSB or PPSC frame profile and wall opening width and height in the model number below for ordering standard units. Add option suffix for ordering options. Custom designs are available and necessitate a drawing.

How to Order?

See How to Order Access Panels Series document:
airvector-panels.com/how-to-order

Model PPI

Peripheral Return Air Access Panel - Invertible Side Swing Door

For vertical stack heat pumps, fan coils & air handlers

Invert right or left swing with thermostat slot


Powder paint tough coating provides a finished appearance in living areas with a sleek-looking peripheral return air opening between the door and the walled-in frame.

Acoustical lining on the access door absorbs internal noise and attenuate its transmission to the living area. Door provides access for filter change and for retrieval of the unit's chassis for maintenance. PPU available for tighter access in front of panel. Removable core is offered for tighter available width and height, see model PPI-R, in our offering.


Three standard frame profiles provide three choices of width for the peripheral return air opening namely PPIA (1.1" wide) PPIB (1.6" wide) PPIC (2.1" wide) allowing the designer to adjust the free area to the capacity of the unit.

Features


- No need to specify right or left swing
- Sturdy welded construction
- Made of galvanized steel 22 ga. default, other gauges (optional)
- Scratch-resistant powder paint, white is standard, other colors (optional)
- Heavy duty vertical hinges
- Key lock and various quarter-turn latches (default)
- 5/8" acoustical fiberglass insulation



Standard latches



Standard frame profiles



- A 1.10" (Standard CFM) (default)
- B 1.60" (Higher CFM)
- C 2.10" (Highest CFM)

Simple to order PPI:

Standard units with or without options require no drawings for production, just specify PPIA, PPIB or PPIC frame profile and wall opening width and height in the model number below for ordering standard units. Add option suffix for ordering options. Custom designs are available and necessitate a drawing.

How to Order?

See How to Order Access Panels Series document:
airvector-panels.com/how-to-order

Model PPU

Peripheral Return Air Access Panel - Up Swing Door For vertical stack heat pumps, fan coils & air handlers Ideal for tighter access in front of panel


Powder paint tough coating provides a finished appearance in living areas with a sleek-looking peripheral return air opening between the door and the walled-in frame.

Acoustical lining on the access door absorbs internal noise and attenuate its transmission to the living area. Door provides access for filter change and for retrieval of the unit's chassis for maintenance. Ideal for tighter access in front of panel. Removable core is offered for tighter available width and height, see model PPU-R, in our offering.


Three standard frame profiles provide three choices of width for the peripheral return air opening namely PPUA (1.1" wide) PPUB (1.6" wide) PPUC (2.1" wide) allowing the designer to adjust the free area to the capacity of the unit.

Features


- Ideal for tighter access in front of panel
- Sturdy welded construction
- Made of galvanized steel 22 ga. default, other gauges (optional)
- Scratch-resistant powder paint, white is standard, other colors (optional)
- Heavy duty hooks hold door at top even with thermostat slots
- Magnetic catches at bottom
- Key lock and various quarter-turn latches (optional)
- 5/8" acoustical fiberglass insulation



Standard latches



Standard frame profiles



Profile	"X"
A	1.10" (Standard CFM) (default)
B	1.60" (Higher CFM)
C	2.10" (Highest CFM)

Simple to order PPU:

Standard units with or without options require no drawings for production, just specify PPUA, PPUB or PPUC frame profile and wall opening width and height in the model number for ordering standard units. Add option suffix for ordering options. Custom designs are available and necessitate a drawing.

How to Order?

See How to Order Access Panels Series document:
airvector-panels.com/how-to-order

Model PLU

Louvered Return Air Access Panel - Up Swing and Removable Door For vertical stack heat pumps, fan coils & air handlers

Powder paint tough coating provides a finished appearance in living areas with a stamped return air grille at the lower section of the door face.

Acoustical lining on the access door and optional sound baffle few inches behind the grille absorb internal noise and attenuate its transmission to the living area.

The door can be removed in a nearly upright position to provide access for the filter change and for retrieval of the unit's chassis for maintenance.



The grille height is standard at 10" but other heights are offered as an option allowing to customize the free area.

| Important! Needs clearance to swing-up.
Not ideal in corridors or in tight spaces.



Features

- Sturdy welded construction
- Made of galvanized steel 22 ga. default, other gauges (optional)
- Scratch-resistant powder paint, white is standard, other colors (optional)
- Magnetic catches (default)
- Key lock and various quarter-turn latches (optional)
- 5/8 acoustical fiberglass insulation



Simple to order PLU:

Standard units with or without options require no drawings for production, just specify wall opening width and height for ordering standard units. Add option suffix for ordering options. Custom designs are available and necessitate a drawing.

How to Order?

See How to Order Access Panels Series document:
airvector-panels.com/how-to-order

Panel Finish Chart

The current chart features standard finishes offered by Airvector® on most products. Colors and textures have been reproduced as accurately as possible. However, due to variances among computer monitors and printers, the colors may appear differently than on the actual products. Some finishes might not apply to all products.

Extra costs and lead times have been listed to help you price and schedule your orders. Paint material charge for less than 80 pcs. See RAL available on our RAL K7 Classic Colour Chart (www.airvector-panels.com/ral). For more accurate costs and lead times, to confirm availability of a finish on a particular product or for custom finish requirements, please contact our customer service department at order@airvector-hvac.com.

Preview	Color Name	Code	Extra Cost	Lead Time
Powder Coated Paint	White Gloss level: low RAL: 9016	/W	Standard (no extra cost)	Standard 3 weeks
	Silver Aluminum Gloss level: matte	/SI	9% adder 150\$ setup charge < 30 panels	Standard 3 weeks
	Off White Gloss level: medium RAL: 9010	/OW	9% adder 150\$ setup charge < 30 panels	Standard 3 weeks
	Beige Gloss level: high RAL: 1013	/BE	9% adder 150\$ setup charge < 30 panels	Standard 3 weeks
	Grey Gloss level: high	/G	9% adder 150\$ setup charge < 30 panels	Standard 3 weeks
	Brown Gloss level: matte	/BR	9% adder 150\$ setup charge < 30 panels	Standard 3 weeks
	Black Gloss level: medium	/BK	9% adder 150\$ setup charge < 30 panels	Standard 3 weeks
	Black Matte Gloss level: matte	/BM	9% adder 150\$ setup charge < 30 panels	Standard 3 weeks
	Colors from Standard RAL selection	/C	9% adder 150\$ setup charge < 30 panels	Minimum 4 weeks
Mill	Mill Raw steel (ready to paint)	/M	Standard (no extra cost)	Standard 3 weeks



Creative | Flexible | Ready | Competitive

Acoustical Access Panels

RAL K7 Classic Colour Chart



www.airvector-panels.com/ral

RAL K7 Classic Colours Chart & Pricing



The classic RAL K7 with RAL Classic colours selection available at a glance.

150\$ Minimum setup charge AND paint charge per kg following table below 30 panels. Charges waived beyond 30 panels.

The colors are presented for information only, they may appear differently depending on the type of screen or printing.

Updates available online at airvector-panels.com/ral

Yellow

Preview	RAL #	\$ per kg
	RAL 1000	\$10
	RAL 1001	\$10
	RAL 1002	\$10
	RAL 1003	\$22
	RAL 1004	\$22
	RAL 1005	\$14
	RAL 1006	\$14
	RAL 1007	\$14
	RAL 1011	\$10
	RAL 1012	\$14
	RAL 1013	\$10
	RAL 1014	\$10
	RAL 1015	\$10
	RAL 1016	\$28

Preview	RAL #	\$ per kg
	RAL 1017	\$14
	RAL 1018	\$28
	RAL 1019	\$10
	RAL 1020	\$14
	RAL 1021	\$28
	RAL 1023	\$28
	RAL 1024	\$14
	RAL 1027	\$14
	RAL 1028	\$22
	RAL 1032	\$14
	RAL 1033	\$20
	RAL 1034	\$14
	RAL 1037	\$14

Orange

Preview	RAL #	\$ per kg
	RAL 2000	\$22
	RAL 2001	\$20
	RAL 2002	\$20
	RAL 2003	\$20
	RAL 2004	\$20

Preview	RAL #	\$ per kg
	RAL 2008	\$20
	RAL 2009	\$20
	RAL 2010	\$20
	RAL 2011	\$20
	RAL 2012	\$16

RAL K7 Classic Colours Chart & Pricing

Red

Preview	RAL #	\$ per kg
	RAL 3000	\$16
	RAL 3001	\$16
	RAL 3002	\$16
	RAL 3003	\$16
	RAL 3004	\$16
	RAL 3005	\$16
	RAL 3006	\$16
	RAL 3007	\$16
	RAL 3011	\$16
	RAL 3012	\$16
	RAL 3013	\$16

Preview	RAL #	\$ per kg
	RAL 3014	\$16
	RAL 3015	\$16
	RAL 3016	\$22
	RAL 3017	\$16
	RAL 3018	\$16
	RAL 3020	\$16
	RAL 3022	\$16
	RAL 3027	\$16
	RAL 3028	\$22
	RAL 3031	\$16


Violet


Preview	RAL #	\$ per kg
	RAL 4001	\$16
	RAL 4002	\$16
	RAL 4003	\$16
	RAL 4004	\$16
	RAL 4005	\$16

Preview	RAL #	\$ per kg
	RAL 4006	\$16
	RAL 4007	\$16
	RAL 4008	\$16
	RAL 4009	\$16
	RAL 4010	\$16



RAL K7 Classic Colours Chart & Pricing

Blue

Preview	RAL #	\$ per kg
	RAL 5000	\$14
	RAL 5001	\$14
	RAL 5002	\$14
	RAL 5003	\$14
	RAL 5004	\$14
	RAL 5005	\$14
	RAL 5007	\$14
	RAL 5008	\$14
	RAL 5009	\$14
	RAL 5010	\$14
	RAL 5011	\$14
	RAL 5012	\$14

Preview	RAL #	\$ per kg
	RAL 5013	\$14
	RAL 5014	\$14
	RAL 5015	\$14
	RAL 5017	\$14
	RAL 5018	\$14
	RAL 5019	\$14
	RAL 5020	\$14
	RAL 5021	\$14
	RAL 5022	\$14
	RAL 5023	\$14
	RAL 5024	\$14




Green




Preview	RAL #	\$ per kg
	RAL 6000	\$14
	RAL 6001	\$14
	RAL 6002	\$14
	RAL 6003	\$14
	RAL 6004	\$14
	RAL 6005	\$14
	RAL 6006	\$14
	RAL 6007	\$14
	RAL 6008	\$14
	RAL 6009	\$14
	RAL 6010	\$16
	RAL 6011	\$14
	RAL 6012	\$14
	RAL 6013	\$14
	RAL 6014	\$14
	RAL 6015	\$14
	RAL 6016	\$14

Preview	RAL #	\$ per kg
	RAL 6017	\$16
	RAL 6018	\$16
	RAL 6019	\$14
	RAL 6020	\$14
	RAL 6021	\$14
	RAL 6022	\$14
	RAL 6024	\$14
	RAL 6025	\$14
	RAL 6026	\$14
	RAL 6027	\$14
	RAL 6028	\$14
	RAL 6029	\$16
	RAL 6032	\$14
	RAL 6033	\$14
	RAL 6034	\$14
	RAL 6037	\$16

RAL K7 Classic Colours Chart & Pricing

Grey


Preview	RAL #	\$ per kg
	RAL 7000	\$10
	RAL 7001	\$10
	RAL 7002	\$10
	RAL 7003	\$10
	RAL 7004	\$10
	RAL 7005	\$10
	RAL 7006	\$10
	RAL 7008	\$10
	RAL 7009	\$10
	RAL 7010	\$10
	RAL 7011	\$10
	RAL 7012	\$10
	RAL 7013	\$10
	RAL 7015	\$10
	RAL 7016	\$10
	RAL 7021	\$10
	RAL 7022	\$10
	RAL 7023	\$10
	RAL 7024	\$10

Preview	RAL #	\$ per kg
	RAL 7026	\$10
	RAL 7030	\$10
	RAL 7031	\$10
	RAL 7032	\$10
	RAL 7033	\$10
	RAL 7034	\$10
	RAL 7035	\$10
	RAL 7036	\$10
	RAL 7037	\$10
	RAL 7038	\$10
	RAL 7039	\$10
	RAL 7040	\$10
	RAL 7042	\$10
	RAL 7043	\$10
	RAL 7044	\$10
	RAL 7045	\$10
	RAL 7046	\$10
	RAL 7047	\$10





RAL K7 Classic Colours Chart & Pricing






Grey

Preview	RAL #	\$ per kg
	RAL 8000	\$10
	RAL 8001	\$10
	RAL 8002	\$10
	RAL 8003	\$10
	RAL 8004	\$10
	RAL 8007	\$10
	RAL 8008	\$10
	RAL 8011	\$10
	RAL 8012	\$10
	RAL 8014	\$10

Preview	RAL #	\$ per kg
	RAL 8015	\$10
	RAL 8016	\$10
	RAL 8017	\$10
	RAL 8019	\$10
	RAL 8022	\$10
	RAL 8023	\$10
	RAL 8024	\$10
	RAL 8025	\$10
	RAL 8028	\$10

White & Black

Preview	RAL #	\$ per kg
	RAL 9001	\$10
	RAL 9002	\$10
	RAL 9003	\$10
	RAL 9004	\$10
	RAL 9005	\$10
	RAL 9006	\$10

Preview	RAL #	\$ per kg
	RAL 9007	\$10
	RAL 9010	\$10
	RAL 9011	\$10
	RAL 9016	\$10
	RAL 9017	\$10
	RAL 9018	\$10

January, 2020

Updates available online at
www.airvector-panels.com



Acoustical Access Panels

Calalog



Creative | Flexible | Ready | Competitive

www.airvector-panels.com

info@airvector-hvac.com

T 1 866 247 8328

F 1 877 439 0628

Alfa Mega Inc. - Airvector
345 montée de Liesse
St-Laurent QC H4T 1P5

www.airvector-panels.com